SECTION 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER	
PRODUCT NAME:	MS-PLUG HYDRAULIC CEMENT
PRODUCT CODE:	MSPLG50
1.2. DECOMMENDED LICE C	OF CHENNICAL AND DECEDICTION OF LC

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTION OF USE

USE:

VARIOUS

1.3 DETAILS OF THE SUPPLIER OF THE SDS

NAME/ADDRESS CEMENT TECHNOLOGY-A DIVISION OF

MASONRY SUPPLY

156 PIPER RD.

COVINGTON, GA. 30014

TELEPHONE NUMBER: 770-784-1424

1.4 MEDICAL EMERGENCY PHONE NUMBER 1-888-853-1758 TRANSPORT EMERGENCY PHONE NUMBER 1-800-424-9300

DATE OF PREPARATION: JANUARY 31, 2019

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL

Hazard class


Acute toxicity 4 (Oral) Skin irritation 2 Serious eye damage 1 Skin sensitization 1 Carcinogenicity 1A Specific target organ toxicity - Single exposure 3 Specific target organ toxicity - Repeated exposure 1

2.2 LABEL ELEMENTS

Hazard Pictogram:



Danger



Harmful if swallowed. Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. Causes damage to organs through

Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

Inhalation:

	SAFETY DATA SHEET
	prolonged or repeated exposure.
Prevention:	Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and
	understood. Wear protective gloves/protective clothing/eye protection/face protection. Use only outdoors or in a well-ventilated area. Do not breathe dust.
Response:	If swallowed: Immediately call a poison center/doctor. Rinse mouth. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If exposed or concerned: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
Storage:	Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3 ADDITIONAL INFORMATION	

Hazards not otherwise

classified: Not applicable.

62 % of the mixture consists of ingredient(s) of unknown acute toxicity.

This product is a hazardous chemical as defined by NOM-018-STPS-2000.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	UN #	H/F/R/*	CAS No	Wt. %
Silica, crystalline, quartz	Not available.	Not available.	14808-60-7	15 - 40
Portland cement	Not available.	1/0/0	65997-15-1	15 - 40
Cement, alumina, chemicals	Not available.	Not available.	65997-16-2	15 - 40
Calcium hydroxide	UN1759	3/0/0	1305-62-0	7 - 13

The exact percentage (concentration) of chemicals has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

* Per NOM-018-STPS-2000

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.

In case of contact, immediately flush skin with plenty of water.

If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.			
TOMS AND EFFECTS, BOTH ACUTE AND DELAYED			
Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.			
Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.			
May cause respiratory tract irritation.			
Harmful if swallowed. May cause stomach distress, nausea or vomiting.			
EDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED			
Symptoms may not appear immediately.			
In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).			
Section 5: FIRE-FIGHTING MEASURES			
Not flammable by WHMIS/OSHA criteria.			

Suitable Extinguishing Media: Treat for surrounding material.

Unsuitable Extinguishing Media: Not available.

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available.

Sensitivity to Static Discharge: Not available.

5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment:	Contain spill, then place in a suitable container. Do not flush sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).	
Methods for Cleaning-Up:	Vacuum or sweep material and place in a disposal container.	

Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling:	Avoid contact with skin and eyes. Do not swallow. Good housekeeping is important to prevent accumulation of dust. Avoid generating and breathing dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat or drink. Wash hands before eating, drinking, or smoking. (See section 8)
General Hygiene Advice:	Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.
7.2 CONDITIONS FOR SAFE	STORAGE, INCLUDING ANY INCOMPATIBILITIES
Storage:	Keep out of the reach of children. Store in dust-tight, dry, labeled containers. Keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers. (See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits				
Ingredient	OSHA-PEL	ACGIH-TLV		
	((10 mg/m ³)/(%SiO ₂ +2) TWA (resp)) ((30 mg/m ³)/(%SiO ₂ +2) TWA (total))			
Silica, crystalline, quartz	((250)/(%SiO ₂ +5) mppcf TWA (resp))	0.025 mg/m ³		
Portland cement	15 mg/m³ (total); 5 mg/m³ (resp)	1 mg/m ³ (no asbestos and <1% crystalline silica, respirable fraction)		
Cement, alumina, chemicals	Not available.	Not available.		
Calcium hydroxide	15 mg/m³ (total); 5 mg/m³ (resp)	5 mg/m³		

8.2 EXPOSURE CONTROLS

Engineering Controls:

Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

8.3 INDIVIDUAL PROTECTIVE MEASSURES

Personal Protective Equipment:

Eye/Face Protection: Wear approved eye (properly fitted dust- or splash-proof chemical safety goggles) / face (face shield) protection.

Skin Protection:	
Hand Protec	tion: Wear suitable waterproof gloves.
Body Protect	tion: Wear suitable waterproof protective clothing.
Respiratory Protection:	A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
General Health and Safety Measures:	 Handle according to established industrial hygiene and safety practices. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

S. I INFORMATION ON BASIC FITTSICAL A	IND CHEMICAL FROFERINES
Appearance:	Powder.
Color:	Not available.
Odor:	Not available.
Odor Threshold:	Not available.
Physical State:	Powder.
pH:	10 - 12
Melting Point/Freezing Point:	Not available.
Initial Boiling Point and Boiling Range:	Not available.
Flash Point:	Not available.
Evaporation Rate:	Not available.
Flammability:	Not Flammable.
Lower Flammability/Explosive Limit:	Not available.
Upper Flammability/Explosive Limit:	Not available.
Vapor Pressure:	Not available.
Vapor Density:	Not available.
Relative Density/Specific Gravity:	Not available.
Solubility:	Not available.
Partition coefficient: n-octanol/water:	Not available.
Auto-ignition Temperature:	Not available.
Decomposition Temperature:	Not available.
Viscosity:	Not available.
Percent Volatile, wt. %:	Not available.
VOC content, wt. %:	0%, Not applicable; 0 wt, Not applicable.

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Section 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Stable under normal storage conditions. Keep dry in storage.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Incompatible materials. Moisture.

10.5 INCOMPATIBLE MATERIALS

None known.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, skin absorption, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

- **Eye:** Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
- Skin: Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin. May cause sensitization by skin contact.

Ingestion: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Inhalation: May cause respiratory tract irritation.

Acute Toxicity:

Ingredient	IDLH	LC50	LD50
Silica, crystalline, quartz	Ca [25 mg/m ³ (cristobalite, tridymite) 50 mg/m ³ (quartz, tripoli)]	Not available.	Oral 500 mg/kg, rat
Portland cement	5000 mg/m ³	Not available.	Not available.
Cement, alumina, chemicals	Not available.	Not available.	Not available.
Calcium hydroxide	50,000 ppm	Not available.	Oral 7340 mg/kg, rat

Calculated overall Chemical Acute Toxicity Values		
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)
Not available.	621 mg/kg, rat	Not available.

Incredient		Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Ingredient		
Silica, crystalline, quartz		G-A2, I-1, N-1, CP65
Portland cement Cement, alumina, chemicals		G-A4 Not listed.
Calcium hydroxide		Not listed.
	CHRONIC EFFECTS O	F SHORT- AND LONG-TERM EXPOSURE
Skin Corrosion/Irritation:	Causes skin irritation moisture.	. May cause burns in the presence of
Serious Eye Damage/Irritation:	Causes serious eye da moisture.	amage. May cause burns in the presence of
Respiratory Sensitization:	Based on available d	ata, the classification criteria are not met.
Skin Sensitization:	May cause an allergic	skin reaction.
STOT-Single Exposure:	May cause respirator	y irritation.
Chronic Health Effects:	Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.	
Carcinogenicity:	May cause cancer.	
Germ Cell Mutagenicity:	This product is not classified as a mutagen.	
Reproductive Toxicity:		
Developmental:	Based on available d	ata, the classification criteria are not met.
Teratogen	icity: Not hazardous	by WHMIS/OSHA criteria.
Embryotox	icity: Not hazardous	by WHMIS/OSHA criteria.
Fertility:	Based on available d	ata, the classification criteria are not met.
STOT-Repeated Exposure:	Causes damage to organs through prolonged or repeated exposure.	
Aspiration Hazard:	Based on available d	ata, the classification criteria are not met.
Toxicologically Synergistic Materials:	Not available.	
Other Information:	Not available.	

1

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic	Toxicity:	No

No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation:

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

Not available.

13.1 WASTE TREATMENT METHODS

Disposal Method:

This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

Other disposal recommendations:

Not available.

Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

DOT	TDG	NOM-004-SCT2-1994
Not regulated.	Not regulated.	Not regulated.
14.2 UN PROPER SHIPPING NAME		
DOT	TDG	NOM-004-SCT2-1994
Not applicable.	Not applicable.	Not applicable.
14.3 TRANSPORT HAZARD CLASS	(ES)	
DOT	TDG	NOM-004-SCT2-1994
Not applicable.	Not applicable.	Not applicable.
14.4 PACKING GROUP		
DOT	TDG	NOM-004-SCT2-1994
Not applicable.	Not applicable.	Not applicable.
14.5 ENVIRONMENTAL HAZARDS		
Not available.		
14.6 TRANSPORT IN BULK ACCORI	DING TO ANNEX II OF MARPO	DL 73/78 AND THE IBC CODE
Not available.		

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICLA

Canadian: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

US: MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III					
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313	
Silica, crystalline, quartz	Not listed.	Not listed.	Not listed.	Not listed.	
Portland cement	Not listed.	Not listed.	Not listed.	Not listed.	
Cement, alumina, chemicals	Not listed.	Not listed.	Not listed.	Not listed.	
Calcium hydroxide	Not listed.	Not listed.	Not listed.	Not listed.	

Mexico: MSDS prepared pursuant to NOM-018-STPS-2000.

State Regulations

California Proposition 65:

This product contains Crystalline Silica, Quartz and may also contain trace amounts of other chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories

Ingredient	Canada DSL/NDSL	USA TSCA
Silica, crystalline, quartz	DSL	Yes.
Portland cement	DSL	Yes.
Cement, alumina, chemicals	DSL	Yes.
Calcium hydroxide	DSL	Yes.
Health:	al Fire Protection Association:	3 .
Health:	3.	
Fire:	1	
Reactivity:	0	
HMIS - Hazardou	s Materials Identification Syste	m
Health:	3*	
Fire:	1	
Reactivity:	0	

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

•


WHMIS Classification(s):

Class D2A - Carcinogenicity Class D2A - Chronic Toxic Effects Class E - Corrosive Material

WHIMIS Hazard Symbols:



Mexico Classification:



a 7

\sim	
Blue = Health	Red = Flammability Yellow = Reactivity White = Special
Hazard Rating	: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme
SOURCE AGE	NCY CARCINOGEN CLASSIFICATIONS:
CP65	California Proposition 65
OSHA (O)	Occupational Safety and Health Administration.
ACGIH (G)	American Conference of Governmental Industrial Hygienists. A1 - Confirmed human carcinogen. A2 - Suspected human carcinogen. A3 - Aminal carcinogen. A4 - Not classifiable as a human carcinogen. A5 - Not suspected as a human carcinogen.
IARC (I)	International Agency for Research on Cancer. 1-The agent (mixture) is carcinogenic to humans: 2A - The agent (mixture) is probably carcinogenic to humans; there is finited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals. 2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity it experimental animals. 3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans. 4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.
NTP (N)	National Tozicology Program. 1 - Known to be carcinogens. 2 - Reasonably anticipated to be carcinogens.
	Section 16: OTHER INFORMATION
Date of Prepa Expiry Date: Version:	Tation: JAN 3 1 2019 JAN 3 1 2023
Revision Date	JAN 3 1 2018

JAN 3 1 2018

1 . Pr

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

End of Safety Data Sheet